

Hall Pyke



Filter Housings

**Pharmaceutical Grade Stainless
Steel Cartridge Housings**

The SMART choice for filtration

Filter Housings

Hall Pyke

Pharmaceutical Grade Stainless Steel Cartridge Housings

Filter Housings are manufactured in accordance with European regulations PED Category and Atex regulation Filter Housing can be supplied with a wide range of connections (TD, DIN 11851, DIN 1186).

Standard surface finishing is $RA < 0.8\mu$ - $RA < 0.4\mu$ roughness.

The design meets most common processing requirements for Food and Beverage, Chemical and Pharma applications.

Filter Housings are as standard with 1 cartridge and up to 36 cartridges. Height from 10" to 40", socket connections code 2, code 3, 226 Code 7 Bayonet and 222 Code 8, double open ended.




Filter Housings

Industrial Grade Stainless Steel

Our standard range of cartridge filter housings are constructed of durable stainless steel, meet general-purpose industrial, chemical, commercial and some food and beverage filtration needs. All wetted surfaces are 316L stainless steel. Other parts (V-band clamp, feet mounting, ect) supplied in 304 stainless steel or similar. Our filter housing are electro polished for a consistent, easy care finish.

Hall Pyke filter housings are available in a variety of sizes to accommodate one or multiple filter cartridges with lengths from 9 3/4" to 40". The housings handle liquids at a pressures up to 10barG and temperatures of up to 120°C.



Hall Pyke



www.hallpyke.ie

Head Office, 3A Sunbury Industrial Estate, Ballymount Road, Walkinstown, Dublin 12.
T. +353-1-4501411 F. +353-1-4507960 E. info@hallpyke.ie W. www.hallpyke.ie