

Hall Pyke



Hygienic Strainers


**Hygienic
Strainers**

The SMART choice for filtration

Hygienic strainer for use in food, dairy, brewery & general hygienic process applications. Available with a range of end connections including plain ends for welding, RJT, IDF, Clamp, DIN & SMS.

Features

- Manufactured in house by Hall Pyke from 316 Stainless Steel with full traceability
- Comes with EPDM seals as standard (other materials available)
- Supplied plain ended for welding or fitted with connections to customer specification
- Wide range of stock elements to suit your application
- Effective wedge wire element construction for improved performance and easier cleaning
- Non standard element sizes available to order
- Dull polished finish with all welds removed
- Proven effective design for many processing applications known to offer reliability, flexibility and a good return on investment.



Optional Extras

Heating Jacket - Available on all sizes, a stainless steel outer jacket can be provided to allow for a hot or cold liquid to flow around the product.

Magnetised Element - A magnetic bar can be added to the internal element of the strainer. It sits inside the element and can be un-screwed for cleaning.


Duplex Strainer - Our angle type strainers can be welded to create a duplex strainer configuration. With the use of butterfly valves the system allows for two areas of filtration meaning that one will remain in use whilst the other is being cleaned.

Isolation and bleed valves - With the use of butterfly and ball valves our strainers can be isolated and drained before the element is removed for cleaning.

Engraving - Hall Pyke has access to full engraving facilities and can offer the option of marking our strainers with your logos/serial numbers etc.



In-line 'y' Type Strainer



SIZE		DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	DIM G	Code
Inch	mm	mm	mm	Mm	mm	mm	mm	Mm	
1"	25.4	165	255	120	76	246	126	45	US01-10
1 1/2"	38.1	205	255	120	76	246	126	45	US01-15
2"	50.8	255	245	120	76	246	126	45	US01-20
2.5"	63.5	295	360	198	101	400	202	70	US01-25
3"	76.2	397	360	198	101	400	202	70	US01-30
4"	101.6	440	550	310	154	630	320	97	US01-40

Internal element sizes available in the below micron sizes								
10	100	250	500	1000	2000	5000		
50	150	300	750	1500	3000	7500		

Other sizes can be made to order

**Angle Strainer and Straight through filter available. Please contact sales for more information

Hall Pyke



www.hallpyke.ie

Head Office, 3A Sunbury Industrial Estate, Ballymount Road, Walkinstown, Dublin 12.
T. +353-1-4501411 F. +353-1-4507960 E. info@hallpyke.ie W. www.hallpyke.ie