

Hall Pyke



Liquid Bag Filtration

NMO Filter bags
Welded Construction

The SMART choice for filtration

Hall Pyke NMO Welded Filter

- For use on size #3 and #4 bag systems
- Wide Chemical Compatibility
- Constructed using Monofilament Mesh materials
 - No loose fibers
 - Uniform pore size
 - Structurally strong
- Fully welded side seam & endcaps
 - Eliminates bypass
- No needle holes, thus increasing efficiencies by preventing by-pass. Elimination of threads further reduces possibility of fiber-shedding.



Middle Media Layer	Micron	Individual Bag Filter
NMO = Nylon Monofilament	1 = 1 micron	WE - BC
	5 = 5 micron	
	10 = 10 micron	
	25 = 25 micron	
	35 = 35 micron	
	40 = 40 micron	
	55 = 55 micron	
	75 = 75 micron	
	100 = 100 micron	
	150 = 150 micron	
	200 = 200 micron	
	250 = 250 micron	
	300 = 300 micron	
	400 = 400 micron	
	600 = 600 micron	
	800 = 800 micron	

Hall Pyke



www.hallpyke.ie

Head Office, 3A Sunbury Industrial Estate, Ballymount Road, Walkinstown, Dublin 12.
T. +353-1-4501411 F. +353-1-4507960 E. info@hallpyke.ie W. www.hallpyke.ie